

Airbid-LC

Tablets



Montelukast 10 mg & Levocetirizine 5 mg

Breathe Easy, Live Allergy-Free!

Combines the benefits of Montelukast (leukotriene receptor antagonist) and Levocetirizine (antihistamine)

Effective against respiratory and skin allergies
Provides 24-hour symptomatic relief

Helps prevent asthma and seasonal allergy flare-ups



Indications :

Allergic rhinitis (seasonal and perennial)

Chronic idiopathic urticaria (hives)

Asthma and exercise-induced bronchoconstriction prevention

Night-time cough associated with respiratory allergies

Dosage & Administration:

Adults & Children

(above 12 years):

One tablet daily in the evening

To be taken with or without food

NOTE

AIRBID-FX (Montelukast 10 mg and fexofenadine 120 mg) is also available

Citilax-PR

TABLETS



Composition:

Citicoline 500 mg, piracetam 800 mg

"Revitalize the Mind, Restore the Brain!"

Key Features & Benefits :

Combines the benefits of Citicoline and Piracetam for enhanced brain function
Enhances memory, learning, and mental clarity

Indications :

Post-stroke recovery (ischemic and hemorrhagic)
Traumatic brain injury (TBI)
Cognitive decline and memory disorders
Vascular dementia and age-related cognitive impairments
Neurodegenerative diseases

Dosage & Administration:

Adults: One tablet twice daily or as prescribed by the physician. To be taken with or without food.



NOTE- CITILAX-500(Citicoline 500 mg) is also available

COBALBEST-FORTE

Capsules



Advanced **Nerve & Antioxidant** Support

Composition (Each Capsule):

Mecobalamin– 750 mcg
Alpha Lipoic Acid– 100 mg
Vitamin B6 (Pyridoxine)– 1.5 mg
Vitamin A– 2500 IU
Chromium– 200 mcg
Selenium– 163.6 mcg
Calcium Pantothenate– 10 mg
Folic Acid– 200 mcg

Key Benefits:

Enhances Nerve Regeneration & Function
Supports Neuropathy & Reduces Nerve Pain
Boosts Energy & Reduces Fatigue
Provides Strong Antioxidant Protection
Supports Vision & Immune Health
Regulates Glucose & Lipid Metabolism

Indications:

Diabetic & Peripheral Neuropathy
Vitamin & Mineral Deficiencies
Chronic Fatigue & General Weakness
Oxidative Stress & Cellular Protection
Eye & Immune System Support

DIPSUN-EZ

TABLETS



Escitalopram 10 mg & Clonazepam 0.5 mg

Effective Solution for

Anxiety & Depression

COMPOSITION:

ESCITALOPRAM 10 MG —

A SELECTIVE SEROTONIN REUPTAKE INHIBITOR (SSRI) THAT HELPS RESTORE SEROTONIN BALANCE IN THE BRAIN, IMPROVING MOOD AND REDUCING ANXIETY.

CLONAZEPAM 0.5 MG — A BENZODIAZEPINE THAT ENHANCES GABA ACTIVITY, PROVIDING RAPID RELIEF FROM ANXIETY AND PANIC ATTACKS.

Indications:

- Generalized Anxiety Disorder (GAD)
- Major Depressive Disorder (MDD)
- Panic Disorder
- Social Anxiety Disorder
- Obsessive-Compulsive Disorder (OCD)

Dosage & Administration:

As directed by the Physician



DP-Cort 6 Tablets



Deflazacort 6 mg –
Advanced glucocorticoid with reduced side effects

- ✓ Rapid relief from **inflammation**.
- ✓ Controls **overactive immune** responses.
- ✓ Lower risk of bone and metabolic **side effects** compared to traditional corticosteroids.
- ✓ Suitable for **long-term therapy** in appropriate conditions



Indications :

Rheumatoid Arthritis

Systemic Lupus Erythematosus (SLE)

Asthma & Chronic Obstructive Pulmonary Disease (COPD)

Allergic Disorders

Recommended Dosage :

Adults: As prescribed by the physician based on the severity of the condition
Always taper gradually under medical supervision

INFER-XT **Tablets**



Ferrous Ascorbate I.P 100 mg – Highly bioavailable iron with minimal GI side effects.

Folic Acid IP 1.5 mg – Essential for RBC formation & fetal development.

Zinc Sulphate IP 22.5 mg – Supports immune function & enhances iron utilization.

*** Maximum Iron Absorption –**

*** Ferrous Ascorbate ensures better GI tolerance and prevents oxidation.**

*** Prevents & Treats Anemia –**
Ideal for iron deficiency anemia in pregnancy, lactation & chronic diseases.

*** Boosts Hemoglobin & Energy Levels –**
Improves oxygen transport and reduces fatigue.

*** Enhanced Compliance –**
Fewer side effects compared to conventional iron salts

Indications :

- ** Iron Deficiency Anemia**
- ** Pregnancy & Lactation**
- ** Post-Surgical Recovery**
- ** Chronic Diseases (CKD, Diabetes, Cancer)**
- ** Menstrual Blood Loss**

Inroxim-500

Tablets



Cefuroxime 500mg

Second-Generation Cephalosporin

Swift Action Against Bacterial Infections!

Effective against Gram-positive and Gram-negative bacteria.
Targets respiratory, urinary, and skin infections.

High tissue penetration ensuring fast and effective relief.

Indications :

- Respiratory tract infections (e.g., bronchitis, pneumonia)
- Sinusitis and otitis media
- Skin and soft tissue infections
- Urinary tract infections
- Bone and joint infections



Dosage & Administration:
Adults: One tablet (500 mg)
twice daily for 7 to 10 days
To be taken after meals
for optimal absorption

LAXOFIN PLUS

SUSPENSION



Gentle Relief, Triple Action for Comfortable Bowel Movement!

ENSURES SMOOTH AND QUICK BOWEL EVACUATION
COMBINES OSMOTIC, EMOLLIENT, AND STIMULANT ACTIONS

LAXOFIN PLUS (MILK OF MAGNESIA IP 3.75 ML, LIQUID PARAFFIN IP 1.25 ML, SODIUM PICO SULPHATE BP 3.33 MG) TRIPLE-ACTION LAXATIVE



INDICATIONS :

RELIEF FROM OCCASIONAL AND CHRONIC CONSTIPATION, PILES AND ANAL FISSURE POST-OPERATIVE AND PREGNANCY-RELATED CONSTIPATION PREPARATION FOR DIAGNOSTIC PROCEDURES REQUIRING BOWEL CLEARANCE

RECOMMENDED DOSAGE :

ADULTS: 15-30 ML ONCE AT BEDTIME
CHILDREN : 5-10 ML AS PRESCRIBED BY THE PHYSICIAN
SHAKE WELL BEFORE USE

Lintax-600 Tablets



Linezolid 600

Targeting Resistant Infections with Precision!"

Effective against Gram-positive bacteria, including resistant strains

Potent against Methicillin Resistant Staphylococcus Aureus (MRSA) and Vancomycin-Resistant Enterococci (VRE)



Indications :

Community-acquired and hospital-acquired pneumonia
Skin and soft tissue infections, including diabetic foot infections
Infections caused by resistant Gram-positive organisms
Bacteremia due to Gram-positive pathogens

Dosage & Administration:


Adults: 600 mg (one tablet) twice daily for 10-14 days or as prescribed by the physician
To be taken with or without food

Neocal-Plus^{CAPSULE}




Calcitriol (0.25 mcg): Active form of Vitamin D3 for optimal calcium absorption
Calcium Carbonate (500 mg): Essential for strong bones and teeth
Methylcobalamin (1500 mcg): Supports nerve health and prevents neuropathy
Pyridoxine HCl (3 mg): Vital for neurotransmitter synthesis and nerve protection
Folic Acid (1.5 mg): Essential for red blood cell production and DNA synthesis
Enhances bone mineral density and reduces fracture risk

Advanced Bone & Nerve Care Formula



Prevents and manages neuropathy symptoms
Absorption: Calcitriol ensures maximum calcium utilization
Comprehensive Vitamin Support:
Combats vitamin deficiencies essential for bone and nerve health
Calcium and B vitamins contribute to proper muscle function



Indications :

Osteoporosis and Osteopenia
Calcium and Vitamin D3 deficiency
Peripheral neuropathy
Postmenopausal bone health support
Nutritional support during pregnancy and lactation



Neurotrip-AT

Gabapentin 300 mg

Amitriptyline 10 mg

Dual Relief for Nerves and Mind!

Combines the pain-relieving effects of Gabapentin and mood-stabilizing properties of Amitriptyline

- * Provides relief from chronic nerve pain
- * Amitriptyline helps alleviate depression and anxiety associated with chronic pain

Helps reduce sleep disturbances caused by neuropathic pain

Ideal for diabetic neuropathy, postherpetic neuralgia, and other nerve-related condition

Indications :

Neuropathic pain

(diabetic neuropathy, postherpetic neuralgia)

Fibromyalgia

Chronic back pain with a neuropathic component

Depression and anxiety

associated with chronic pain conditions



Note-NEUROTRIP- NT (Gabapentin 400 mg and nortriptyline 10 mg) is also available

Peptolin-DSR

(Pantoprazole 40mg + Domperidone 30mg SR Capsules)



**Powerful Relief from GERD & Acid-Related Disorders
Reliable, Effective & Long-Lasting.**

Pantoprazole (40mg):

**Proton Pump Inhibitor (PPI) Suppresses gastric acid secretion
Promotes mucosal healing**

Domperidone SR (30mg):

**Prokinetic agent Increases gastric motility
Prevents nausea & vomiting**

Indications:

- * GERD (Gastroesophageal Reflux Disease)
- * Peptic Ulcers
- * Dyspepsia
- * Zollinger-Ellison Syndrome
- * Nausea & Vomiting due to acid reflux

Advantages:

- * Sustained Release Formulation
– Ensures prolonged action
- * Dual Therapy – Acid suppression
& gastric motility enhancement
- * Faster Symptom Relief – Controls
reflux & nausea effectively
- * Improved Patient Compliance –
Once-daily dosing



REE-BACT



Topical Antibiotic Ointment Targeted Healing, Faster Recovery!

Effective against Gram-positive bacteria, including
Staphylococcus aureus (including MRSA)
Direct application for localized bacterial infections



Indications:


Primary skin infections
such as impetigo

Secondary skin infections
including infected wounds
Prophylaxis for minor skin
injuries and surgical
wounds.

Eradication of nasal
carriage of MRSA

Dosage & Administration:

Apply a thin layer to the
affected area 2 to 3 times daily
Cover with a dressing if required



Stomacaine-Gel



Megaldrate 400 mg – Effective acid neutralizer

Simethicone 20 mg – Reduces gas and bloating

*Relief for Acid Peptic Disorders
Quick Action, Long-lasting Comfort*

**Neutralizes
excess stomach
acid quickly**

**Simethicone
disperses
gas bubbles
easing discomfort**

Indications :

- Heartburn
- Gastritis
- Flatulence
- Acid indigestion
- Dyspepsia



Sucraven-O Suspension



**Advanced Relief for
Gastric Ulcers & Severe Acidity
with Numbing Comfort**

Composition:

Sucralfate:

1 gm – Protective gastric mucosal agent

Oxetacaine:

20 mg – Potent local anesthetic for immediate pain relief



Heals ulcers and soothes pain instantly.

Forms a protective barrier over ulcerated tissues.

Oxetacaine provides immediate relief from severe burning sensations.

Promotes ulcer recovery and supports mucosal integrity.

Indications:

**Gastric and Duodenal Ulcers
GERD with associated pain
Erosive Gastritis
Hyperacidity with burning
and discomfort**

Dosage:

**Adults: 10 ml suspension
3-4 times daily before meals
or as directed by the physician**

Trymocin-AP

Tablets



Trypsin-Chymotrypsin (1 LAC AU) –
Potent anti-inflammatory enzymes
Aceclofenac 100 mg – Effective NSAID for pain relief
Paracetamol 325 mg – Synergistic analgesic and antipyretic

TRIPLE ACTION FORMULA FOR INFLAMMATION, PAIN & SWELLING

Combines Aceclofenac and Paracetamol for superior analgesic action
Trypsin-Chymotrypsin reduces tissue inflammation and edema
Targets pain and swelling at the source

Balanced formulation for minimal gastrointestinal discomfort

Indications :

Post-operative inflammation and pain. Musculoskeletal pain and swelling. Sports injuries and sprains. Osteoarthritis and Rheumatoid arthritis. Soft tissue trauma.



Dosage & Administration:
Adults: One tablet (500 mg) twice daily for 7 to 10 days to be taken after meals for optimal absorption.

Vencoril-AX

COUGH SYRUP



Respiratory Relief

Ambroxol Hydrochloride: 15 mg

(Expectorant & mucolytic)

Terbutaline Sulphate: 1.25 mg (Bronchodilator)

Guaiphenesin: 50 mg (Expectorant)

Menthol: 2.5 mg (Soothing agent)

- ✓ Breaks down thick mucus and clears airways
- ✓ Relieves bronchospasms by dilating airway passages
- ✓ Thins mucus for easier expectoration
- ✓ Provides a cooling, soothing effect on the throat

Indications :

Acute and chronic bronchitis
Productive cough with thick mucus
Asthma and other obstructive
airway diseases

Recommended Dosage :

Adults: 10 ml (2 teaspoons) 3 times daily
Children (6-12 years): 5 ml (1 teaspoon) 3 times daily
Children (2-5 years): 2.5 ml (½ teaspoon) 3 times daily
(or as directed by the physician)

Vencoril-D also available



Vencoril-LS

COUGH SYRUP



(Ambroxol HCl 30mg + Levosalbutamol Sulphate 1mg +
Guaiphenesin 50mg per 5ml)

Triple Action Formula for Effective Cough Relief

- ✓ **Ambroxol HCl: Mucolytic action – Breaks down thick mucus**
- ✓ **Levosalbutamol: Bronchodilator – Relieves airway constriction**
- ✓ **Guaiphenesin: Expectorant – Enhances mucus clearance**

Indications :

Productive Cough

**Bronchitis &
Asthma-Associate
Cough**

**COPD &
Respiratory Infections**

Advantages:

**Fast & Effective Relief from
Cough & Bronchospasm.**

**Reduces Airway Resistance
& Promotes Easy Breathing.**

Recommended Dosage :
Adults: 5ml thrice daily
Children: 2.5ml thrice daily
(or as directed by the physician)



VENMOX[®]-CV-625



**(Amoxicillin 500 mg +
Potassium Clavulanate 125 mg)**

**Empowering Faster Recovery
with Dual Antibiotic Strength**



**Broad-spectrum antibiotic inhibiting bacterial cell wall synthesis
 β -lactamase inhibitor preventing antibiotic degradation**

Indications:

UPPER RESPIRATORY
TRACT INFECTIONS:
**Sinusitis,
Tonsillitis**



LOWER RESPIRATORY
TRACT INFECTIONS:
**Bronchitis,
Pneumonia**



URINARY TRACT
INFECTIONS:
**Cystitis,
Pyelonephritis**

SKIN & SOFT TISSUE
INFECTIONS:
**Abscesses,
Cellulitis**



DENTAL INFECTIONS:
**Odontogenic
infections**

Dosage & Administration: As directed by the Physician

Zudical-XT Tablets



Composition:

**Calcium carbonate 1250mg,
vit-D3 2000 I.U, Methylcobalamin 1500 mcg,
L-Methylfolate calcium 1 mg, pyridoxal-5 phosphate 20 mg**


"Strong Bones, Healthy Nerves, and Vital Wellness!"

Combines essential nutrients for skeletal and neurological health
Vitamin D3 ensures effective calcium utilization.

Methylcobalamin and Pyridoxal-5-Phosphate
support nerve repair and regeneration.

L-Methyl Folate helps maintain cardiovascular
and cognitive wellness

Bioavailable forms for better absorption and faster action.



Indications:

- * Osteoporosis and osteopenia
- * Calcium and Vitamin D3 deficiency
- * Peripheral neuropathy and nerve-related disorders
- * Cardiovascular health support
- * Pregnancy and lactation for enhanced nutritional needs